SIAIR Lubricants

FLEETSTAR 15W-40 is a long life, heavy duty diesel engine oil ideally suited for long haul and mixed fleet operators. Designed to provide maximum protection under the most demanding conditions, it is a blend of highly refined solvent mineral oils, viscosity index improvers, pour point depressants and the latest technology in additive systems.

APPLICATION

Primarily designed to meet the demands of vehicles requiring oil to ACEA E7, API CH-4 and Volvo VDS 2 specifications. It also meets or exceeds the requirements for other Euro 4 and Euro 3 heavy-duty diesel engines which are not fitted with emission control after treatment systems, and do not require a low SAPS lubricant.

BENEFITS

- Ideal choice for mixed fleets, using Euro 4 and Euro 3 vehicles.
- Heavy duty long distance trunking and stop / start delivery vehicles are protected under the umbrella of one oil.
- Capable of achieving maximum oil drain periods, both in and out of warranty.
- Excellent detergent/dispersant package promotes engine cleanliness and effective soot dispersancy.
- API SL and ACEA A3 petrol specifications ensure true mixed fleet capability.
- Improved wear protection and lubricant stability.

PERFORMANCE PROFILE

Suitable for use where the following specifications are required;

- API CH-4 / SL
- ACEA E7, E5, E3, A3/B4
- Mercedes-Benz 228.3
- Cummins 20071/72/76/77/78
- MAN 3275
- MTU Type 2
- Volvo VDS 2
- Renault RVI RLD-2
- Mack E-OM+
- Global DHD-1
- Caterpillar ECF-1
- ZF TE-ML 07C, 04C

TYPICAL PROPERTIES

Kinematic Viscosity @ 100°C (cSt)	13.9
Kinematic Viscosity @ 40°C (cSt)	105.0
SG @ 15.5°C	0.900
Viscosity Index	133
Pour Point	31°C
Flash Point	210

HEALTH & SAFETY

Please refer to the Safety Data Sheet, freely available, for product handling and disposal advice. Please note that the SDS includes

SIAIR Lubricants

handling, storage, health and disposal information which should be passed on to anyone else who comes in contact with our product. Additional advice can also be obtained from your local representative.

NOTE: Read and understand all precautions on container labels before using this product.

SAR LUBRICANTS (SQUIRE A. RADCLIFFE & SONS LTD) Gill Bridge Oil Works, Lowlands Road, Mirfield, WF14 8LU, England Tel: +44 (0)1924 494371 | Email: enquiries@sarlubricants.co.uk Registered in England: 05866783 VAT Registration No: 889171963